

# HS-25/HS-25A ROCKING SHAKER



## OVERVIEW :-

HS-25/-25A Rocking Shaker is widely used in immobilization of running gel, shaking for dyeing or fading the coomassie blue, immobilization, dyeing and developing of silver- stain- ing, developing and fixation of the X-ray film in autoradiography experiment, and further processing of cellulose membrane after gel shift such as molecular hybridization, staining with antigen-antibody. It is also used for cell culture and cell membrane transfer. It is availa- ble for culture dishes, conical flasks and culture flasks.

## FEATURES OF THE PRODUCT :-

- Platform is made of stainless steel and natural rubber, which is acid & alkali resistant, non-deformation, easy-clean and spill-prevention.
- Real-time display of speed and diminishing time.
- The bearing is articulated rotating, secure and no wear, suitable for long time use.
- Compact designed, save space.
- Brushless DC motor, maintenance-free.



[sales@helixbiosciences.com](mailto:sales@helixbiosciences.com)



[www.helixbiosciences.com](http://www.helixbiosciences.com)



+91-11-41613622  
1800-890-4669


REGISTERED OFFICE :-

A-7, SOUTH WEST DELHI, NARAINA INDUSTRIAL AREA PHASE 1, NEW DELHI - 110028

MANUFACTURING :-

PLOT NO. 360, IMT INDUSTRIAL ESTATE, SECTOR 68, FARIDABAD, HARYANA - 121004

# HS-25/HS-25A ROCKING SHAKER



## TECHNICAL PARAMETERS :-

| MODEL              | HS-25                         | HS-25A                        |
|--------------------|-------------------------------|-------------------------------|
| Speed Range        | 5 ~80rpm                      | 10 ~80rpm                     |
| Swing Cycloid      | 25mm (up and down) / 10°      | 25mm (up and down) / 10°      |
| Time Range         | 1min ~99h59min or continuous  | 1min ~99h59min or continuous  |
| Max. Load          | 5.0kgs (single-deck platform) | 5.0kgs (double-deck platform) |
| Platform Dimension | 228 x 280mm                   | 228 x 280mm                   |
| Voltage            | AC 100 ~230V, 50/60 Hz        | AC 100 ~230V, 50/60 Hz        |
| Power              | 50W                           | 50W                           |
| Fuse               | 250V, 1A, Φ5x20               | 250V, 1A, Φ5x20               |
| Dimension (WxDxH)  | 284 x 264 x 134mm             | 284 x 264 x 248mm             |
| Net Weight         | 5.2kgs                        | 6.0kgs                        |



[sales@helixbiosciences.com](mailto:sales@helixbiosciences.com)



[www.helixbiosciences.com](http://www.helixbiosciences.com)



+91-11-41613622  
1800-890-4669

REGISTERED OFFICE :-

A-7, SOUTH WEST DELHI, NARAINA INDUSTRIAL AREA PHASE 1, NEW DELHI - 110028

MANUFACTURING :-

PLOT NO. 360, IMT INDUSTRIAL ESTATE, SECTOR 68, FARIDABAD, HARYANA - 121004